

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

CRITICAL AREA PLANTING

(Ac.)

CODE 342

DEFINITION

Establishing permanent vegetation on sites that have or are expected to have high erosion rates, and on sites that have physical, chemical or biological conditions that prevent the establishment of vegetation with normal practices.

PURPOSE

- Stabilize areas with existing or expected high rates of soil erosion by water.
- Stabilize areas with existing or expected high rates of soil erosion by wind.
- Restore degraded sites that cannot be stabilized through normal methods.

CONDITIONS WHERE PRACTICE APPLIES

On areas with existing or expected high rates of erosion or degraded sites that usually cannot be stabilized by ordinary conservation treatment and/or management, and if left untreated, could be severely damaged by erosion or sedimentation or could cause significant off-site damage.

CRITERIA

General Criteria Applicable To All Purposes

Species selected for seeding or planting shall be suited to current site conditions and intended uses. Selected species will have the capacity to achieve adequate density and vigor within an appropriate time frame to stabilize the site sufficiently to permit suited uses with ordinary management activities.

Species, rates of seeding or planting, minimum

quality of planting stock, such as PLS or stem caliper, and method of establishment shall be specified before application. Only viable, high quality seed or planting stock will be used.

Site preparation and seeding or planting shall be done at a time and in a manner that best ensures survival and growth of the selected species. What constitutes successful establishment, e.g. minimum percent ground/canopy cover, percent survival, stand density, etc. shall be specified before application.

Fertilization, mulching, or other facilitating practices for plant growth shall be timed and applied to accelerate establishment of selected species. If the recommended fertilizer rate exceeds the criteria in Conservation Practice Standard (590) Nutrient Management, appropriate mitigating practices will be installed to reduce the risk of nutrient losses from the site.

Comply with all applicable federal, state, and local laws, rules, and regulations.

Additional Criteria To Restore Degraded Sites

If gullies or deep rills are present, they will be treated, if feasible, to allow equipment operation and ensure proper site and seedbed preparation.

Soil amendments will be added as necessary to ameliorate or eliminate physical or chemical conditions that inhibit plant establishment and growth. Required amendments, such as compost or manure to add organic matter and improve soil structure and water holding capacity; agricultural limestone to increase the pH of acid soils; or elemental sulfur to lower

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

**NRCS, NHCP
July 2002**

the pH of calcareous soils shall be included in the site specification with amounts, timing, and method of application.

CONSIDERATIONS

Native species or mixes that are adapted to the site and have multiple values should be considered.

Avoid species that may harbor pests. Species diversity should be considered to avoid loss of function due to species-specific pests.

PLANS AND SPECIFICATIONS

Specifications for applying this practice shall be prepared for each site and recorded and filed using the approved specification sheets or narrative statements in the conservation plan.

OPERATION AND MAINTENANCE

Use of the area shall be managed as long as necessary to stabilize the site and achieve the intended purpose.

Control or exclude pests that will interfere with the timely establishment of vegetation.

Inspections, reseeding or replanting, fertilization, and pest control may be needed to insure that this practice functions as intended throughout its expected life.

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

RIPARIAN FOREST BUFFER

(Acre)

CODE 391

DEFINITION

An area of predominantly trees and/or shrubs located adjacent to and up-gradient from watercourses or water bodies.

PURPOSES

- Create shade to lower water temperatures to improve habitat for aquatic organisms.
- Provide a source of detritus and large woody debris for aquatic and terrestrial organisms.
- Create wildlife habitat and establish wildlife corridors.
- Reduce excess amounts of sediment, organic material, nutrients and pesticides in surface runoff and reduce excess nutrients and other chemicals in shallow ground water flow.
- Provide a harvestable crop of timber, fiber, forage, fruit, or other crops consistent with other intended purposes.
- Provide protection against scour erosion within the floodplain.
- Restore natural riparian plant communities.
- Moderate winter temperatures to reduce freezing of aquatic over-wintering habitats.
- To increase carbon storage.

CONDITIONS WHERE PRACTICE APPLIES

On areas adjacent to permanent or intermittent streams, lakes, ponds, wetlands and areas with ground water recharge that are capable of supporting woody vegetation.

CRITERIA

General Criteria Applicable To All Purposes

The location, layout and density of the riparian forest buffer will accomplish the intended purpose and function.

Dominant vegetation will consist of existing, naturally regenerated, or planted trees and shrubs suited to the site and the intended purpose.

All buffers will consist of a Zone 1 that begins at the normal water line, or at the top of the bank, and extends a minimum distance of 15 feet, measured horizontally on a line perpendicular to the water body.

Occasional removal of some tree and shrub products such as high value trees is permitted in zone 1 provided the intended purpose is not compromised by the loss of vegetation or harvesting disturbance.

Necessary site preparation and planting shall be done at a time and manner to insure survival and growth of selected species.

Only viable, high-quality and adapted planting stock will be used.

Site preparation shall be sufficient for establishment and growth of selected species and is done in a manner that does not compromise the intended purpose.

Livestock shall be controlled or excluded as necessary to achieve and maintain the intended purpose.

Harmful pests present on the site will be controlled or eliminated as necessary to achieve and maintain the intended purpose.

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current standard, contact the Natural Resources Conservation Service.

**NRCS, NHCP
August 2000**

For optimal carbon storage, select plant species that are adapted to the site to assure strong health and vigor and plant the full stocking rate for the site.

Comply with applicable federal, state and local laws and regulations during the installation, operation (including harvesting activities) and maintenance of this practice.

Additional Criteria To Reduce Excess Amounts of Sediment, Organic Material, Nutrients and Pesticides in Surface Runoff and Reduce Excess Nutrients and Other Chemicals in Shallow Ground Water Flow

An additional strip or area of land, Zone 2, will begin at the edge and up-gradient of Zone 1 and extend a minimum distance of 20 feet, measured horizontally on a line perpendicular to the water body. The minimum combined width of Zones 1 and 2 will be 100 feet or 30 percent of the flood plain whichever is less, but not less than 35 feet.

Criteria for Zone 1 shall apply to Zone 2 except that removal of products such as timber, fiber, nuts, fruit and forbs is permitted and encouraged on a periodic and regular basis provided the intended purpose is not compromised by loss of vegetation or harvesting disturbance.

Zone 2 will be expanded in high nutrient, sediment, and animal waste application areas, where the contributing area is not adequately treated or where an additional level of protection is desired.

A Zone 3 shall be added to the riparian buffer when adjacent to cropland or other sparsely vegetated or highly erosive areas to filter sediment, address concentrated flow erosion, and maintain sheet flow. The Filter Strip standard (practice code 393) shall be used to design Zone 3.

Additional Criteria To Provide Habitat For Aquatic Organisms And Terrestrial Wildlife

Width of Zone 1 and/or Zone 2 will be expanded to meet the minimum requirements of the wildlife or aquatic species and associated communities of concern.

Establish plant communities that address the target wildlife needs and existing resources in the watershed.

**NRCS, NHCP
August 2000**

CONSIDERATIONS

The severity of bank erosion, concentrated flow erosion or mass soil movement and its influence on existing or potential riparian trees and shrubs should be assessed. Watershed-level or contributing area treatment or bank stability activities may be needed before establishing a riparian forest buffer.

When concentrated flow erosion and sedimentation cannot be controlled vegetatively, consider structural or mechanical treatments.

Favor tree and shrub species that are native, non-invasive, or have multiple values such as those suited for timber, biomass, nuts, fruit, browse, nesting, aesthetics and tolerance to locally used herbicides.

Tree and shrub species, which may be alternate hosts to undesirable pests, should be avoided. Species diversity should be considered to avoid loss of function due to species-specific pests.

Plants that deplete ground water should be used with caution in water-deficit areas.

Allelopathic impacts of plants should be considered.

The location, layout and density of the buffer should complement natural features, and mimic natural riparian forests.

PLANS AND SPECIFICATIONS

Specifications for applying this practice shall be prepared for each site and recorded using approved specification sheets, job sheets, technical notes, and narrative statements in the conservation plan, or other acceptable documentation.

OPERATION AND MAINTENANCE

The following actions shall be carried out to insure that this practice functions as intended throughout its expected life.

The riparian forest buffer will be inspected periodically and protected from adverse impacts such as excessive vehicular and pedestrian traffic, pest infestations, pesticides, livestock or wildlife damage and fire.

Replacement of dead trees or shrubs and control of undesirable vegetative competition will be

continued until the buffer is, or will progress to, a fully functional condition.

As applicable, control of concentrated flow erosion and sediment deposition shall be controlled by an adjacent filter strip.

Any use of fertilizers, pesticides and other chemicals to assure buffer function shall not compromise the intended purpose.

NATURAL RESOURCES CONSERVATION SERVICE

CONSERVATION PRACTICE STANDARD

FOREST SITE PREPARATION

(Acre)

CODE 490

DEFINITION

Treating areas to improve site conditions for establishing a forest.

Comply with applicable federal, state and local laws and regulations during the installation, operation and maintenance of this practice.

PURPOSES

- Encourage natural regeneration of desirable woody plants.
- Permit artificial establishment of woody plants.

CONSIDERATIONS

The site preparation method should be cost effective and protect cultural resources, wildlife habitat, threatened and endangered species, water resources, and identified unique areas.

Visual quality objectives should be considered when selecting site preparation methods.

CONDITIONS WHERE PRACTICE APPLIES

On all lands where establishment of woody plants is desired.

Anticipate possible off-site effects and modify the site preparation design accordingly.

Consider personnel safety during site preparation activities.

CRITERIA

General Criteria Applicable To All Purposes

The method, intensity and timing of site preparation will match the limitations of the site, equipment, and the requirements of the desired woody species.

An appropriate site preparation method will be chosen to protect any desirable vegetation.

Remaining slash and debris shall not create habitat for or harbor harmful levels of pests.

Remaining slash and debris shall not hinder needed equipment operations or create an undue fire hazard.

Erosion and/or runoff will be controlled.

Soil compaction and displacement will be minimized.

All chemicals will be applied in accordance with label guidelines.

PLANS AND SPECIFICATIONS

Plans will address method of site preparation, species, and protection required for desirable woody plants.

Specifications for applying this practice and protection of the site shall be prepared and recorded using approved specification sheets, job sheets, technical notes, and narrative statements in the conservation plan or other acceptable documentation.

OPERATION AND MAINTENANCE

Repair erosion control measures as necessary to ensure proper function. Access by vehicles during site preparation or after (i.e., before adequate tree and shrub establishment occurs) should be controlled to minimize erosion, compaction and other site impacts.

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

NRCS, NHCP
August 2000

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

STREAMBANK AND SHORELINE PROTECTION

(Ft)

CODE 580

DEFINITION

Treatment(s) used to stabilize and protect banks of streams or constructed channels, and shorelines of lakes, reservoirs, or estuaries.

PURPOSE

- To prevent the loss of land or damage to land uses, or other facilities adjacent to the banks, including the protection of known historical, archeological, and traditional cultural properties.
- To maintain the flow or storage capacity of the water body or to reduce the offsite or downstream effects of sediment resulting from bank erosion.
- To improve or enhance the stream corridor for fish and wildlife habitat, aesthetics, recreation.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to streambanks of natural or constructed channels and shorelines of lakes, reservoirs, or estuaries where they are susceptible to erosion. It applies to controlling erosion where the problem can be solved with relatively simple structural measures, vegetation, or upland erosion control practices. It does not apply to erosion problems on main oceanfronts and similar areas of complexity not normally within the scope of NRCS authority or expertise.

CRITERIA

General Criteria Applicable to All Purposes

Measures must be installed according to a site-specific plan and in accordance with all applicable local, state, and federal laws and regulations.

Protective measures to be applied shall be compatible with improvements planned or being carried out by others.

Protective measures shall be compatible with the bank or shoreline materials, water chemistry, channel or lake hydraulics, and slope characteristics both above and below the water line.

End sections shall be adequately bonded to existing measures, terminate in stable areas, or be otherwise stabilized.

Protective measures shall be installed on stable slopes. Bank or shoreline materials and type of measure installed shall determine maximum slopes.

Designs will provide for protection from upslope runoff.

Internal drainage for bank seepage shall be provided when needed. Geotextiles or properly designed filter bedding shall be used on structural measures where there is the potential for migration of material from behind the measure.

Measures applied shall not adversely affect threatened and endangered species nor species of special concern as defined by the appropriate state and federal agencies.

<p>Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resource Conservation Service.</p>

**NRCS, NHCP
September 1999**

Measures shall be designed for anticipated ice action and fluctuating water levels.

All disturbed areas around protective measures shall be protected from erosion. Disturbed areas that are not to be cultivated shall be protected as soon as practical after construction.

Vegetation shall be selected that is best suited for the soil/moisture regime.

Additional Criteria for Streambanks

The channel grade shall be stable based on a field assessment before any permanent type of bank protection can be considered feasible, unless the protection can be constructed to a depth below the anticipated lowest depth of streambed scour.

A protective toe shall be provided based on an evaluation of stream bed and bank stability.

Channel clearing to remove stumps, fallen trees, debris, and bars shall only be done when they are causing or could cause detrimental bank erosion or structural failure. Habitat forming elements that provide cover, food, and pools, and water turbulence shall be retained or replaced to the extent possible.

Changes in channel alignment shall not be made unless the changes are based on an evaluation that includes an assessment of both upstream and downstream fluvial geomorphology. The current and future discharge-sediment regime shall be based on an assessment of the watershed above the proposed channel alignment.

Measures shall be functional for the design flow and sustainable for higher flow conditions based on acceptable risk.

Measures shall be designed to avoid an increase in natural erosion downstream.

Measures planned shall not limit stream flow access to the floodplain.

Stream segments to be protected shall be classified according to a system deemed appropriate by the state. Segments that are incised or contain the 5-year return period (20 percent probability) or greater flows shall be evaluated for further degradation or aggradation.

When water surface elevations are a concern, the effects of protective measures shall not increase flow levels above those that existed prior to installation.

Additional Criteria for Shorelines

All revetments, bulkheads, or groins are to be no higher than 3 feet (1 meter) above mean high tide, or mean high water in non-tidal areas

Structural shoreline protective measures shall be keyed to a depth to prevent scour during low water.

For the design of structural measures, the site characteristics below the waterline shall be evaluated for a minimum of 50 ft (15 meters) horizontal distance from the shoreline measured at the design water surface.

The height of the protection shall be based on the design water surface plus the computed wave height and freeboard. The design water surface in tidal areas shall be mean high tide.

When vegetation is selected as the protective treatment, a temporary breakwater shall be used during establishment when wave run up would damage the vegetation.

Additional Criteria for Stream Corridor Improvement

Stream corridor vegetative components shall be established as necessary for ecosystem functioning and stability. The appropriate composition of vegetative components is a key element in preventing excess long-term channel migration in re-established stream corridors.

Measures shall be designed to achieve any habitat and population objectives for fish and wildlife species or communities of concern as determined by a site-specific assessment or management plan. Objectives are based on the survival and reproductive needs of populations and communities, which include habitat diversity, habitat linkages, daily and seasonal habitat ranges, limiting factors and native plant communities. The type, amount, and distribution of vegetation shall be based on the requirements of the fish and wildlife species or communities of concern to the extent possible.

Measures shall be designed to meet any aesthetic objectives as determined by a site-specific assessment or management plan. Aesthetic objectives are based on human needs, including visual quality, noise control, and microclimate control. Construction materials, grading practices, and other site development elements shall be selected and designed to be compatible with adjacent land uses.

Measures shall be designed to achieve any recreation objectives as determined by a site-specific assessment or management plan. Recreation objectives are based on type of human use and safety requirements.

CONSIDERATIONS

An assessment of streambank or shoreline protection needs should be made in sufficient detail to identify the causes contributing to the instability (e.g. watershed alterations resulting in significant modifications of discharge or sediment production). Due to the complexity of such an assessment an interdisciplinary team should be utilized.

When designing protective measures, consider the changes that may occur in the watershed hydrology and sedimentation over the design life of the measure.

Consider utilizing debris removed from the channel or streambank into the treatment design.

Use construction materials, grading practices, vegetation, and other site development elements that minimize visual impacts and maintain or complement existing landscape uses such as pedestrian paths, climate controls, buffers, etc. Avoid excessive disturbance and compaction of the site during installation.

Utilize vegetative species that are native and/or compatible with local ecosystems. Avoid introduced or exotic species that could become nuisances. Consider species that have multiple values such as those suited for biomass, nuts, fruit, browse, nesting, aesthetics and tolerance to locally used herbicides. Avoid species that may be alternate hosts to disease or undesirable pests. Species diversity should be

considered to avoid loss of function due to species-specific pests. Species on noxious plant lists should not be used.

Livestock exclusion should be considered during establishment of vegetative measures and appropriate grazing practices applied after establishment to maintain plant community integrity. Wildlife may also need to be controlled during establishment of vegetative measures. Temporary and local population control methods should be used with caution and within state and local regulations.

Measures that promote beneficial sediment deposition and the filtering of sediment, sediment-attached, and dissolved substances should be considered.

Consider maintaining or improving the habitat value for fish and wildlife, including lowering or moderating water temperature, and improving water quality.

Consideration should be given to protecting side channel inlets and outlets from erosion.

Toe rock should be large enough to provide a stable base and graded to provide aquatic habitat.

Consider maximizing adjacent wetland functions and values with the project design and minimize adverse effects to existing wetland functions and values.

When appropriate, establish a buffer strip and/or diversion at the top of the bank or shoreline protection zone to help maintain and protect installed measures, improve their function, filter out sediments, nutrients, and pollutants from runoff, and provide additional wildlife habitat.

Consider conservation and stabilization of archeological, historic, structural and traditional cultural properties when applicable.

Measures should be designed to minimize safety hazards to boaters, swimmers, or people using the shoreline or streambank.

Protective measures should be self-sustaining or require minimum maintenance.

PLANS AND SPECIFICATIONS

Plans and specifications for streambank and shoreline protection shall be prepared for specific field sites and based on this standard and shall describe the requirements for applying the practice to achieve its intended purpose.

responsible for operating and maintaining the system. The plan shall provide specific instructions for operating and maintaining the system to insure that it functions properly. It shall also provide for periodic inspections and prompt repair or replacement of damaged components or erosion.

OPERATION AND MAINTENANCE

An operation and maintenance plan shall be prepared for use by the owner or others

NATURAL RESOURCES CONSERVATION SERVICE

CONSERVATION PRACTICE STANDARD

TREE/SHRUB ESTABLISHMENT

(Acre)

CODE 612

DEFINITION

Establishing woody plants by planting seedlings or cuttings, direct seeding, or natural regeneration.

PURPOSE

To establish woody plants for forest products, wildlife habitat, long-term erosion control and improvement of water quality, treat waste, reduction of air pollution, sequestration of carbon, energy conservation, and enhance aesthetics.

CONDITIONS WHERE PRACTICE APPLIES

On any area where woody plants can be grown.

CRITERIA

General Criteria Applicable To All Purposes

Species will be adapted to site conditions and suitable for the planned purpose(s).

Planting or seeding rates will be adequate to accomplish the planned purpose.

Planting dates, and care in handling and planting of the seed, cuttings or seedlings will ensure that planted materials have an acceptable rate of survival.

Only viable, high-quality and adapted planting stock or seed will be used.

Site preparation shall be sufficient for establishment and growth of selected species.

Adequate seed or advanced reproduction needs to be present or provided for when using natural regeneration to establish a stand.

Timing and use of planting equipment will be appropriate for the site and soil conditions.

The acceptability and timing of coppice regeneration shall be based on species, age, and diameter.

The planting will be protected from unacceptable adverse impacts from pests, wildlife, livestock damage, or fire.

Each site will be evaluated to determine if mulching, supplemental water or other cultural treatments will be needed to assure adequate survival and growth.

Comply with applicable federal, state, and local laws and regulations during the installation, operation and maintenance of this practice.

Additional Criteria For Improving Or Restoring Natural Diversity

Species selected will be indigenous to the site and will reflect species composition of the desired stands.

CONSIDERATIONS

When underplanting, trees should be planted sufficiently in advance of overstory removal to ensure full establishment.

Use locally adapted seed, seedlings or cuttings. Priority will be given to plant materials that have been selected and tested in tree/shrub improvement programs. All plant materials should comply with a minimum standard, such as the American Nursery and Landscape Association, Forest Service, or state-approved nursery.

Plans for landscape and beautification plantings should consider foliage color, season and color of flowering, and mature plant height.

Where multiple species are available to accomplish the planned objective, consideration should be

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

NRCS, NHCP

August 2000

given to selecting species which best meet wildlife needs.

Tree/shrub arrangement and spacing should allow for and anticipate the need for future access lanes for purposes of stand management.

Residual chemical carryover should be evaluated prior to planting.

Species considered locally invasive or noxious should not be used.

Species used to treat waste should have fast growth characteristics, extensive root systems, capable of high nutrient uptake, and may produce wood/fiber products in short rotations.

For optimal carbon storage, select plant species that are adapted to the site to assure strong health and vigor and plant the full stocking rate for the site.

PLANS AND SPECIFICATIONS

Specifications for applying this practice shall be prepared for each site and recorded using approved specification sheets, job sheets, technical notes, and narrative statements in the conservation plan, or other acceptable documentation.

Plans and specifications will include the following: adapted tree species for the purposes outlined, spacing, planting methods, cultural practices, maintenance requirements, and variations in methods and species between interplanting, underplanting, and planting in open areas. Separate specifications can be prepared for each of these planting methods.

OPERATION AND MAINTENANCE

The following actions shall be carried out to insure that this practice functions as intended throughout its expected life. These actions include normal repetitive activities in the application and use of the practice (operation), and repair and upkeep of the practice (maintenance).

If needed, competing vegetation will be controlled until the woody plants are established. Noxious weeds will be controlled.

Replanting will be required when survival is inadequate.

Supplemental water will be provided as needed.

The trees and shrubs will be inspected periodically and protected from adverse impacts including insects, diseases or competing vegetation, fire and damage from livestock or wildlife.

Periodic applications of nutrients may be needed to maintain plant vigor.

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

UPLAND WILDLIFE HABITAT MANAGEMENT

(acre)

CODE 645

DEFINITION

Creating, restoring, maintaining or enhancing areas for food, cover, and water for upland wildlife and species which use upland habitat for a portion of their life cycle.

PURPOSE

- Provide a variety of food for the desired kinds of wildlife species;
- Provide a variety of cover types for the desired kinds of wildlife species, examples include nesting, fawning, loafing, resting, escape, travel lanes, and thermal;
- Provide drinking water for the desired kinds of wildlife species.
- Arrange habitat elements in proper amounts and locations to benefit desired species.
- Manage the wildlife habitat to achieve a viable wildlife population within the species home range.

CONDITIONS WHERE PRACTICE APPLIES

On all landscapes that are suitable for the kinds of wildlife habitat that are needed within the range of the desired species or the natural community under consideration.

CRITERIA

General Criteria Applicable to all Purposes

- Habitat development and management

necessary, to achieve the purpose(s), shall be based on a wildlife habitat appraisal or suitable habitat evaluation. The appraisal or evaluation procedure shall be used to determine a habitat suitability for either individual fields, home range areas, habitat type or natural community as well as to provide an overall evaluation for the entire property or operating unit.

Habitat Appraisal or Habitat Evaluation:

- The evaluation will result in a quality rating or habitat suitability index (hsi). This will consider the type, amount, and distribution of habitat elements required. The quality rating or hsi will be compared to the quality criteria in Section III of the FOTG.
- If the evaluation indicates a level below the acceptable quality, alternatives will be recommended that will result in the necessary changes in habitat elements or their management to bring the rating up to the minimal acceptable or above.
- If the evaluation is at the minimum or above, alternatives will be recommended that will result in the necessary management to preserve, maintain or improve the existing habitat in its present state or toward optimum conditions

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources conservation Service.

**NRCS, NHCP
August, 1998**

Habitat Elements

- The following habitat elements will be considered when assessing wildlife habitat. Not all may apply to every habitat type.

1. Food

- a. Type
- b. Amount

2. Cover

- a. Type
- b. Amount

3. Water

- a. quality
- b. quantity
- c. accessibility
- d. seasonal availability

4. Interspersion and Distance to

- a. crops
- b. grasses and or legumes
- c. shrubs
- d. trees
- e. water
- f. openings

5. Migration

- a. routes
- b. season of use
- c. corridors

Development and Management of Wildlife Habitat:

- As indicated by the wildlife habitat evaluation, certain habitat elements may be weak or missing. For the desired species, identify the types, amount, and distribution of habitat elements and management actions necessary to achieve the management objectives.
- The amount and kinds of habitat elements planned, their location and management shall be identified in a management plan.
- The use of native plant materials shall be encouraged.
- Vegetative manipulations to restore plant and/or animal diversity shall be accomplished by prescribed burning or

mechanical, biological or chemical methods, or a combination of the four.

- Where feasible prescribed burning shall be utilized instead of mowing.
- Livestock grazing or haying shall be conducted to maintain or improve vegetation structure and composition so as to improve the desired wildlife habitat.
- Management measures shall be provided to control invasive species and noxious weeds.
- To protect forbs and legumes that benefit native pollinators and other wildlife and provide insect food sources for grassland nesting birds, spraying or other control of noxious weeds shall be done on a "spot" basis.

CONSIDERATIONS

Wildlife population control (hunting to reduce numbers) which is the responsibility of state and federal wildlife agencies and the landowner may be necessary to protect and maintain certain habitats.

Consider that manipulations of habitat may impact more than the desired kinds of wildlife. These possible effects shall be evaluated and taken into consideration during the planning process.

This practice may be used to promote the conservation of declining species, including threatened and endangered species.

Consider the problems of habitat fragmentation when using this practice, create large blocks of habitat verses increased edge which leads to predation and parasitism by some species such as cowbirds.

Consider habitat linkages and habitat corridors when developing upland wildlife habitat.

PLANS AND SPECIFICATIONS

Plans and specifications for this practice shall be prepared for each site. Plans and

specifications shall be recorded using approved specifications sheets, job sheets, technical notes, or narrative documentation in the conservation plan, or other acceptable documentation.

OPERATION AND MAINTENANCE

The purpose of operation, maintenance, and management is to insure that the practice functions as intended over time.

A plan for operation and maintenance of upland wildlife habitat at a minimum shall include monitoring and management of structural and vegetative measures.

Timing of haying and livestock grazing will avoid periods when upland wildlife are nesting, fawning, etc. and will allow the establishment, development, and management of upland vegetation for the intended purpose.

Biological control of undesirable plant species and pests (e.g., using predator or parasitic species) shall be implemented where available and feasible.

NATURAL RESOURCES CONSERVATION SERVICE

CONSERVATION PRACTICE STANDARD

FOREST STAND IMPROVEMENT

(Acre)

CODE 666

DEFINITION

The manipulation of species composition, stand structure, and stocking by cutting or killing selected trees and understory vegetation.

PURPOSES

- To increase the quantity and quality of forest products, e.g., sawtimber, veneer, wood fiber, poles, pilings, maple syrup, naval stores, nuts and fruits.
- To harvest forest products.
- To initiate forest stand regeneration.
- To reduce the potential of damage from wildfire, pests, and moisture stress.
- To restore natural plant communities.
- To achieve a desired understory plant community.
- To improve aesthetic, recreation, and open space values.
- To improve wildlife habitat.
- To improve water conservation and yield.
- To achieve a desired level of crop tree stocking and density.
- To increase carbon storage in selected crop trees.

CONDITIONS WHERE PRACTICE APPLIES

All forest land where improvement of forest resources is needed.

CRITERIA

General Criteria Applicable To All Purposes

The harvest-regeneration strategy will be identified for all planned forest improvement harvesting:

- Uneven-aged management systems (single-tree selection, group selection, coppice selection)
- Even-aged management (clear-cut, seed-tree, shelterwood, coppice)

The extent or size of treatment area shall achieve the intended purpose.

Preferred tree and understory species are identified and retained to achieve all planned purposes.

Spacing, density, size class, number, and amounts of trees and understory species to be retained will follow established guidelines for the intended purposes.

Stocking guidelines shall contain stocking in terms of basal area, spacing or trees per acre by species and size class distribution.

The method, felling direction and timing of tree cutting for harvesting shall facilitate efficient and safe tree removal and protect sensitive areas such as vernal pools, riparian zones, cultural resources, and structures.

Forest stand improvement activities shall be performed to minimize soil erosion, compaction, rutting, damage to remaining vegetation and hydrologic conditions.

Slash and debris left on the site after treatment will not present an unacceptable fire, safety, environmental, or pest hazard. Such remaining

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resource Conservation Service.

NRCS, NHCP
August 2000

material will not interfere with the intended purpose or other management activities.

Comply with applicable federal, state and local laws and regulations during the installation, operation and maintenance of this practice.

CONSIDERATIONS

Silvicultural objectives and harvest-regeneration strategies may change over time and may be limited by prior management.

Successful regeneration of desirable species is usually dependent upon timely application of forest stand improvement and other practices, e.g., prescribed burning, site preparation, tree and shrub establishment, prescribed grazing and use exclusion.

The extent, timing, size of treatment area, or the intensity of the practice should be adjusted to minimize cumulative effects (onsite and offsite), e.g., hydrologic and stream alteration, habitat fragmentation, nutrient cycling, biodiversity and visual resources.

Potential landowner and operator liability should be assessed before forest stand improvement activities begin.

The practice should be timed to minimize disturbance of seasonal wildlife activities.

Consider wildlife food and cover needs when making modifications to forest composition and tree spacing.

Consider retention of selected dead and dying trees, including down material, to enhance wildlife habitat values.

Landowners should secure a written contract with any service provider that specifically describes the extent of activity, duration of activity, responsibilities of each party and amount and timing of payments for services provided

Consider environmental concerns such as threatened and endangered species and natural areas.

PLANS AND SPECIFICATIONS

Specifications for applying this practice shall be prepared for each site and recorded using approved specification sheets, job sheets, technical notes, and narrative statements in the conservation plan, or other acceptable documentation.

OPERATION AND MAINTENANCE

Periodic inspections during treatment activities are necessary to ensure that objectives are achieved and resource damage is minimized. Follow-up and ongoing management activities will be needed to obtain desired results.